

Technote 1177

Introducing the LaserWriter 8 Driver version 8.7

By Ingrid Kelly
Apple Worldwide Developer Technical Support

CONTENTS

[Scriptable printing](#)

[PostScript Output Filter Plug-ins](#)

[Foreground default to spoolers](#)

[Other Improvements \(ColorSync, FontSync, 2-Byte TrueType Fonts\)](#)

[Summary](#)

This Technote outlines some of the new features and changes that Apple has made in the LaserWriter 8 version 8.7 driver (released as part of Mac OS 9). It describes expanded technology and user interface support and what these mean to the developer community. LaserWriter 8.7 is only available as part of Mac OS 9 and can only be run on PowerPC machines running Mac OS 9.

Scriptable printing

Until the introduction of LaserWriter 8.7, it has been difficult for an application to extend the scriptability of the print Apple event. The application received the print event, but it was the printer driver that controlled and used the settings for the print job. In addition, the print settings used by each driver have been different. In LaserWriter 8.7, the driver allows an AppleScript script to give the control to an application by introducing parameters to set and control most of the user options available via the Print dialog. Applications are now provided with a coercion mechanism to turn these parameters into a valid print record with the options correctly configured based on the script. In order to accomplish this, new vocabulary has been defined to describe and reference the various options in the Print dialog. [Technote 1178, “Scriptable Printing,”](#) details the extensions to the print event that allow scripters to control printing, and describes the changes applications and printer drivers will need to make to support these new printing features.

[Back to top](#)

PostScript Output Filter Plug-ins

LaserWriter 8.7 adds the ability for developers to create custom output filters to preprocess the PostScript code emitted by the driver prior to its being sent to a device using either a built-in I/O type or a custom hose. This allows developers to modify the PostScript code as it is emitted by the driver, or to insert their own PostScript code into any PostScript stream emitted by the driver.

PostScript output filter plug-ins can have user controls that appear in the LaserWriter 8.7 Print Dialog as custom panels. These panels work the same way as the driver’s built-in panels; for example, users can save filter defaults on a printer-by-printer basis, just as they do for other portions of the print dialog.

For more information on PostScript Filters, see [Technote 1179, “PostScript Output Filters For LaserWriter 8.7.”](#)

Note:

These PostScript output filter plug-ins have a file type of ' bi rd' so that they can be autorouted into the

“Printing Plug-ins” folder in the Extensions folder when dropped on the System folder.

[Back to top](#)

Foreground default query

Apple has received requests for the ability for spoolers to default their print jobs to foreground. Therefore, with the 8.7 release, Apple has added a query that allows developers to enable this feature from their spooler:

```
%%?BeginQuery: RBI ForegroundPrintingPreferred  
(False\n) print  
%%?EndQuery: Unknown
```

Valid replies are True, False, and Unknown.

If the user has saved defaults for this printer, the behavior is the same as LaserWriter 8.6.5 and earlier. If the user does not have saved defaults for this printer, the results of the query are used.


When LaserWriter 8.7 brings up the print dialog, if there are no stored defaults for the printer, it tests the stored results of the query done at autoseup time. If the result from the query was True, then the driver defaults the Background Printing button to **Foreground**. If the result was False or Unknown, LaserWriter 8.7 defaults the Background Printing button to **Background**, the LaserWriter 8.6.5 default.

[Back to top](#)

Other Improvements (ColorSync, FontSync, 2-Byte TrueType Fonts)

ColorSync support

ColorSync 3.0, shipping as part of Mac OS 9, provides an improved ColorSync Control Panel to manage and control profiles for a complete workflow. LaserWriter 8.7 provides improved ColorSync integration by allowing the user to use the default output profile specified in the new ColorSync control panel. To use this feature the user needs to select **Use ColorSync Output Profile** and then **Save Settings**.






Figure 1 - ColorSync control panel

Note:

The name of the ColorSync Profile used is also now included in the Job Log. See [Technote 1166, “LaserWriter 8.6.5 Job Log Format”](#) for more information on the JobLog.

FontSync support

The FontSync Font IDs are now included in the Job Log. See [Technote 1166, “LaserWriter 8.6.5 Job Log Format”](#) for more information on the Job Log.

Improved support for 2-Byte TrueType Fonts

LaserWriter 8.7 synthesizes Bold, Italic, Expanded, Compressed, Shadow, and Outline styles for 2-byte fonts that do not already contain data for these styles. This works in conjunction with the font subsetting technology introduced in LaserWriter 8.6. See [Technote 1146, “LaserWriter 8 and Fonts”](#) for more information.

[Back to top](#)

Summary

As you can see, the 8.7 release of the LaserWriter 8 driver has many improvements for both users and developers.

Further References

- [Apple’s Technote web site](#)
- [Technote 1179: PostScript Output Filters for LaserWriter 8.7](#)
- [Technote 1178: Scriptable Printing](#)
- [Technote 1146: LaserWriter 8 and Fonts](#)
- [Technote 1144: Writing Custom Hoses for LaserWriter 8.6](#)

[Back to top](#)

Downloadables



[Acrobat version of this Note \(49K\).](#)

[Back to top](#)

Acknowledgments

Thanks to Howard Miller, David Gelphman, and Paul Danbold.

To contact us, please use the [Contact Us](#) page.
Updated: 05-October-1999

[Technotes](#) | [Contents](#)

[Previous Technote](#) | [Next Technote](#)