

**Warning: This object is only partially tested as of this release.**

# MiscOrderForm

**Inherits From:** Object  
**Declared In:** <misckit/MiscOrderForm.h>

## Class Description

The MiscOrderForm implements a very simple order form. The order form should be laid out with several TextFields and other AppKit and MiscKit controls to be filled in by the user, which then may be printed by pressing a button on the panel. Once the user presses the print button, the final extended cost of the ordered licenses is calculated and placed in the panel. If the total cost field needs to be updated more frequently, then this should be arranged for by the programmer; the MiscOrderForm only updates this information when it gets a **±costCalc:** message, which is sent whenever printing is initiated with **±printOrderForm:**. The current cost calculation multiplies the values in the *costPerLicenseText* and *numLicensesText* fields and places the result in the *totalCostText* field. These three fields should be TextFields on the Order Form... panel.

The actual panel may be obtained with **±orderFormPanel** and the panel is placed on the screen by the **±orderForm:** method. The **±setController:** and **±init** methods are called when initializing the MiscOrderForm object.

## Instance Variables

```
id controller;  
id orderFormPanel;  
id costPerLicenseText;  
id numLicensesText;  
id totalCostText;
```

controller

Points to the Applications's MiscInfoController.

orderFormPanel

The Panel object which is the Order Form... panel.

costPerLicenseText

Disabled TextField which contains the cost per license.

numLicensesText

TextField where the user is expected to enter the number of licenses desired.

totalCostText

Disabled TextField where the total cost of the ordered licenses appears.

## Method Types

Manipulating the Order Form panel

- costCalc:
- orderForm:
- orderFormPanel
- printOrderForm:

Other Methods

- init
- setController:

## Instance Methods

### **costCalc:**

- **costCalc:***sender*

This message should be overridden to do any calculations necessary to place the proper total cost of all licenses ordered in the Order Form... panel. The default implementation multiplies the values in the *costPerLicenseText* and *numLicensesText* fields and places the result in the *totalCostText* field. The number of licenses is taken to be an integer, and should be entered by the user. The other two values should be in disabled text fields and are taken to be floating point values. Returns **self**.

**See also:** **±printOrderForm:**

### **init**

- **init**

Initializes a new instance of MiscOrderForm. Returns **self**.

### **orderForm:**

- **orderForm:***sender*

Loads the Order Form... panel if necessary and then places it on the screen. Returns **self**.

**See also:** **±orderFormPanel**

### **orderFormPanel**

- **orderFormPanel**

Returns the Order Form... panel, loading it first if necessary.

**See also:** `±orderForm:`

**printOrderForm:**

- `printOrderForm:sender`

Prints out the order form via the standard NeXT Print... panel using the `±smartPrintPSCode:` method of the Window class. Before the panel is printed, the cost fields are updated to make sure that they reflect the correct amounts for the number of licenses ordered. Returns **self**.

**See also:** `±costCalc:`

**setController:**

- `setController:sender`

Sets the controller of the receiving MiscOrderForm instance. *Sender* is assumed to be a MiscInfoController instance. Returns **self**. Note that the default implementation does not actually use the *controller* instance variable, but a subclass might want to send messages to the controller.