

Figure 1: Instructions for creating "Blob" program.

Start Interface Builder
Save as Programming/Blob/blob and create a project file with the File/Project
Select File/New Application
Double click the Classes toolkit in the lower left window
Sub-class View and call it BlobView
Drag a CustomView and two sliders in to the main window
Inspect the CustomView and make it an instance of the BlobView
Add rotate and zoom action methods using the class inspector
Make connections from the sliders to the BlobView
Inspect slider limits to be 0 to 360 for rotate and -.9 to 3 for zoom
Unparse the BlobView
Add blob.psw file to project
Select File/Save
Make additions to BlobView.h and BlobView.m given in figure 2 and 3
Select File/Make
Run by double clicking the blob.debug icon

Changes to BlobView.h
(additions in Bold)

-----**Figure 2: Changes to BlobView.h**-----

```
/* Generated by Interface Builder */  
  
#import <appkit/View.h>  
  
@interface BlobView:View  
{  
    float rot, mag;  
}  
  
- rotate:sender;  
- zoom:sender;  
  
@end
```

-----**Figure 3: Changes to BlobView.h**-----

```

/* Generated by Interface Builder */

#import "BlobView.h"
#import <dpsclient/wraps.h>
#import <appkit/Control.h>
#import "blob.h"

@implementation BlobView

- rotate:sender
{
    rot = [sender floatValue];
    [self display];
    return self;
}

- zoom:sender
{
    mag = [sender floatValue];
    [self display];
    return self;
}

- drawSelf:(NXRect*)r :(int)c
{
    NXEraseRect(&bounds);
    PStranslate(bounds.size.width/2.0, bounds.size.height/2.0);
    PSscale(mag+1.0, mag+1.0);
    PSrotate(rot);
    PSsetgray(NX_BLACK);
    drawBlob(100.0, 5.0);
    return self;
}

@end

```

```

----- Figure 4 Content of blob.psw-----
definesps drawBlob(float size, lineWidth)
    lineWidth setlinewidth
    newpath
        0 0 moveto
        size 0 lineto
        size size lineto

```

```
    0 size lineto
    0 0 lineto
    size size rlineto
    0 size moveto
    size 0 lineto
stroke
endps
```