

**ManageCDPics**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> ManageCDPics		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 22, 2024	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>ManageCDPics</b>	<b>1</b>
1.1	ManageCDPics . . . . .	1
1.2	Requirements . . . . .	1
1.3	Configuration . . . . .	2
1.4	The Program . . . . .	2
1.5	The Menus . . . . .	3
1.6	The Slideshow . . . . .	3
1.7	The Database Format . . . . .	4
1.8	The Script MakeNewDataBase . . . . .	5
1.9	The Program DTShow . . . . .	5
1.10	The Author . . . . .	5
1.11	Copyright . . . . .	5
1.12	Thanks . . . . .	6
1.13	History . . . . .	6
1.14	Future Plans . . . . .	6

# Chapter 1

## ManageCDPics

### 1.1 ManageCDPics

ManageCDPics - © 1994 by Markus Hillenbrand

-----

ManageCDPics (short: MCDP) is a program to create some kind of picture database. You can easily have a look at pictures stored in several databases. The program was written to be mainly used for compact disks.

- Requirements
- Configuration
- The Program
- The Menus
- The Slideshow
- The Database Format
- The Script MakeNewDataBase
- The Program DTShow
- The Author
- Copyright
- Thanks
- History
- Future Plans

### 1.2 Requirements

You need:

- intuition.library v37
- gadtools.library v37
- graphics.library v37
- dos.library v37
- exec.library v37
- utility.library v37
- icon.library v37
- datatypes.library v39 (only for the slideshow)

You should also have enough datatypes installed on your system, if you want to use the slideshow.

---

## 1.3 Configuration

The program can be configured by editing the tooltypes of the program's icon. Currently the following tooltypes are supported:

```
JPG=...   enter the name of the viewer for JPGs
GIF=...   enter the name of the viewer for GIFs
OTHER=... enter the name for any other format
```

These tooltypes can be overridden by ENV: variables:

```
MCDPics_G = the same as GIF   in tooltypes
MCDPics_J = the same as JPG   in tooltypes
MCDPics_O = the same as OTHER in tooltypes
```

This is useful for users who start it from a write protected disk (i.e. a compact disk).

The tooltypes SM\_xxx\_xxx and SM\_HIGHER can be edited, too. But it is recommended to change them by using the program's built in menu entry 'save prefs'.

The following tooltypes do only affect the slideshow part of the program:

```
IGNOREERRORS  delete the brackets '(' and ')' if you do not
                want the program to stop a slideshow when an
                error occurs. An error can be low memory or
                a deletet file, that cannot be loaded.
                add bracket '(' and ')' if you want to stop
                a slideshow when an error occurs.
```

```
DEBUG   if this is enabled (i.e. no brackets, see above)
         the program will open a window where detailed
         error messaged will be printed if an error occurs.
```

```
OWNSCREENMODES  if this is enabled, the gadget 'define own screen-
                 modes' will be enabled by default.
```

## 1.4 The Program

If you start the program, you can see three listviews and several gadgets. In the left listview you can select the database you want to have a look at. The middle one represents the categories in this database. Third there are the entries in these categories: the pictures.

The text gadget in the middle of the window is used to show some text related to the picture which is active.

Underneath the first listview there is a string gadgets that contains the calls of the external viewers for the pictures. The contents of this gadgets depends on the suffix of the picture: if the suffix is '.gif' the call defined via the tooltype GIF=... will be shown, if the suffix is '.JPG' the call for JPGs will be inserted, otherwise there will appear the entry for OTHERS=... You can change the entries everytime; but don't forget the '%s':

---

it will be replaced by the name of the picture. Any change of the entry will remain until you end the program. You can save your entries by using the menu 'save prefs'.

Next there is a cycle gadget. You can specify 'CD', 'Category' and 'Picture'. If you select category, all pictures that follow the active one in the third listview (including the actual) will be affected by your further actions. If you select CD the whole database will be affected, if you select picture, only the actual picture is being affected.

The last gadget is a button. If you click here the picture(s) will be shown using the external viewer(s).

## 1.5 The Menus

There are two menus attached to the window. The 'Program' and the 'Special' menu. In the 'Program' menu you can save the prefs, see an about requester or quit the program.

The 'Special' menu lets you enter the slideshow part of the program.

## 1.6 The Slideshow

A new window pops up containing several gadgets:

**Define Own Screenmodes:** If active, the program forces the pictures into a specified screenmode (see below). This is especially useful for graphic cards. If you check this gadget, you can specify your screenmodes in the list above. Every picture with a resolution smaller or equal the dimensions printed in front of the text gadgets will be forced to use a screen with the new screenmode.

**Loop:** If this is active, the program won't stop if the end of the category or database is reached, it will start from the beginning.

**Time Delay:** 0 = wait for mousebutton to show next picture  
3-300 = wait n seconds until showing next picture

**Start Slideshow:** well, it's obvious!  
Once you've started the slide show you can stop it by pressing the button in the window that appears or by sending a CTRL\_C to the program's task. This slideshow will use the datatypes.library for decoding pictures. You will have to install the right classes for the pictures you want to slide.

## 1.7 The Database Format

- All data files must be located in a subdirectory called 'CDS'.
- First you have to give the root of your path:

```
ROOT
  CD0:
END
```

Note: Before CD0: you must enter a TAB, no space.

- Then you define the categories:

```
CATEGORIES
  xx
  YY
  ...
END
```

Note: Before xx you must enter a TAB, no space.

- Then you must define the directory names belonging to every category:

```
CALLS
  xx-dir
  yy-dir
  ...
END
```

Note: Before xx-dir you must enter a TAB, no space.

- Now you define the pictures for every category:

```
xx-dir
  pic1
  description.1
  pic2
  description.2
  ...
yy-dir
  picx
  description.x
  picy
  description.y
  picz
  description.z
  ...
```

Note: Before pic.. you must enter a TAB, no space.  
You need not enter END here.

Just have a look at the files in CDS, and you will understand how it works.

## 1.8 The Script MakeNewDataBase

This tool allows you to easily create a new database for the program. You can scan directories which must be organized this way:

- All pictures must be placed in subdirectories.
- only one depth of subdirs is allowed, a subdir of a subdir won't cause trouble, but no pics will be recognized.
- All files must be pictures, other files are added too.

Anyway you can try out the script; it will create something useful, or you may throw it away and create your database by hand.

CAUTION: If the script doesn't work, please have a look at the protection bits of the file 'script.2'; there must appear an 's'. If there is no 's', just type in your shell: 'protect script.2 s add', and everything should work fine.

## 1.9 The Program DTShow

This program uses datatypes.library to view pictures. You'll need OS3.0 and the monitor drivers 'SUPER72' and 'EURO72' and 'MULTISCAN' installed. Special Feature: Small pics will be shown in the middle of a screen!!!

## 1.10 The Author

Here is my address (bug-report, suggestions or something like that, and the postcard):

Markus Hillenbrand  
Weserstraße 9  
36124 Eichenzell-Löschenrod  
GERMANY

Tel.: 06659/3176 or 0631/99698

e-mail: m\_hillen@informatik.uni-kl.de  
hillenbr@alma.student.uni-kl.de

## 1.11 Copyright

```
*****
*
*   T   H   I   S               P   R   O   G   R   A   M               I   S   *
*
*   #####   #####   #####   #####   #   #   #####   #####   #####   *
*   #       #       #       #       #       #       #       #       #       #       *
*   #       #       #       #       #       #       #       #       #       #       *
*   #       #####   #####   #       #       #       #       #####   #####   ###   *
```



```

*   #       #   # # #   #   # # # # #   # # #   #   *
*   #       #   # # #   #   # # # # #   # # #   #   *
*   #       #   # # #   #   # # # # #   # # #   #   *
*   ##### #   # # #   #   ##### #   # #   #   ##### *
*
*****

```

Since version 1.2, MCDP is CARDWARE. So you'll have to send me a postcard of your country/home/city/... with a few words from you (in your own language ?) if you use MCDP regularly.

MCDP is Copyright (C) 1994 Markus Hillenbrand and it's freely distributable as long as all of its files are included in their original form without additions, deletions, or modifications of any kind, and only a nominal fee is charged for its distribution. This software is provided \*AS IS\* without warranty of any kind, either expressed or implied. By using MCDP, you agree to accept the entire risk as to the quality and performance of the program.

Of course, it was tested rather extensively before it was released...

## 1.12 Thanks

- Marcus Flehmig for beta-testing
- Stephan Sürken for his program 'Text2Guide'
- Christoph Feck for his JFIF datatype

## 1.13 History

```

v1.0: first official release
v1.1: added cycle gadget for CD, category, single
      added some databases
      new icons
v1.2: added slideshow
      added documents
      some bugfixes
      added some databases

```

## 1.14 Future Plans

- localization
- program 'EasySlide' for the shell
- thumbnails
- better handling of databases
- appwindow for adding pictures
- sorting of pictures, categories, CDs
- better support for HAM pictures in combination with graphic cards
- support for MPEG

And remember: the more cards I get, the faster I will write a new version of the program.

---