

NetInfo

Examine client information

4padPointRule2.eps ↵

Each computer that imports a files from another computer on the network is a *client*.

Information about a client and the files it's importing is stored in the **/mounts** directory of the domain where the computer is set up.

768008_PointRule2.eps ↵

- 1 **Log in as root on any computer on the network.**

If you don't log in as **root**, you can type the **root** password if the User Authentication panel appears.

1PointDashedRule3Black.eps ↵

- 2 **Double-click NetInfoManager in /NextAdmin.**

427113_PointDashedRule3Black.eps ↵

- 3 **Choose Domain submenu-arrow8.tiff ↵ Open from the NetInfoManager menu, select the domain with the client you want to examine, and click OK.**

In a simple two-level network, all the client information is stored in the root (/) domain.

794249_PointDashedRule3Black.eps ↵

- 4 **Click /mounts in the browser.**

964182_PointDashedRule3Black.eps ↵

- 5 **Double-click the name of the client you want to examine.**

A property window shows the property keys for the client in the first column and the values in the second column.

681798_PointDashedRule3Black.eps ↵

- 6 **Click a property key to see its value.**

467655_PointDashedRule3Black.eps ↵

CAUTION When you select a property key or value, it appears in the text field at the bottom of the window. You can type a new property key or value. However, changing a property key can have serious consequences throughout the network—both the system and individual applications use the standard property keys in their functions.

2PointRule.eps ↗

Related topics (*click a LinkDiamond.tiff ↗*)

706575_pt-Xref-Rule2.eps ↗

Concepts

Need more information about property keys and values?

;AboutNetInfo.rtf;;↗

About NetInfo

Not sure how clients work with file servers to share information?

;../NetworkFiles/AboutNetworkFiles.rtf;;↗

About network

files

727921_pt-Xref-DashedRule2.eps ↗

How to

You can change the client information directly in NetInfoManager. But it's safer to use NFSManager.

;../NetworkFiles/ImportNewDirectory.rtf;;↗

Import a new

directory

;../NetworkFiles/ChangeMountOptions.rtf;;↗

Change mount

options

Want to see all the property keys and values in a table instead of a browser?

;ChangePropertyDisplay.rtf;;↗

Change the way properties

are displayed