

Topics

[Overview](#)

[File Commands](#)

[Directory Commands](#)

[Miscellaneous](#)

[Buttons](#)

[Filters](#)

[License](#)

[Registration](#)

[Command Line Options](#)

File Commands

Displaying Files

Backing Up Files

Copying Files

Moving Files

Deleting Files

Renaming Files

Changing File Attributes

Viewing Files

Selecting Files

Directory Commands

Changing Directory

Copying Subdirectories

Deleting Directories

Making Subdirectories

Printing Subdirectories

Renaming Subdirectories

Miscellaneous

Free

Format Disks

Launching Applications

File Search

Option

License

FileMan is not public domain software, nor is it free software.

Non-licensed users are granted a limited license to use FileMan on a 14-day trial basis for the purpose of determining whether FileMan is suitable for their needs. The use of FileMan, except for the initial 14-day trial, requires registration. The use of unlicensed copies of FileMan by any person, business, corporation, or any other entity is strictly prohibited.

A single user license permits a person to use FileMan only on a single computer. Licensed users may use the program on different computers, but they may not use the program on more than one computer at the same time.

No one may modify the FileMan executable file in any way, including but not limited to decompiling, disassembling, or otherwise reverse engineering the program.

A limited license is granted to copy and distribute FileMan only for the trial evaluation by others, subject to the above limitations, and also to the following:

- 1) FileMan must be copied in unmodified form, complete with the file containing this license information.
- 2) The full machine-readable FileMan.HLP file must be included with each copy.
- 3) FileMan may not be distributed with any other product without specific written permission to do so from TDWare.
- 4) No fee, charge, or other compensation may be requested or accepted, except as authorized below:

Operators of computer bulletin board systems (sysops) may make FileMan available for downloading only as long as the above conditions are met. An overall or time- dependent charge for the use of the bulletin board system is permitted as long as there is not a specific charge for the download of FileMan.

Vendors of user-supported or shareware software may distribute FileMan, subject to the above conditions, without specific permission. Vendors may charge a disk duplication and handling fee, which, when pro-rated to the FileMan product, may not exceed five (5) dollars. Users of the program must be encouraged to register their copy.

Registration

If a copy of this program is used beyond an initial 2-week evaluation period, the user is obligated to obtain a license for its use. A license for this program for most users costs only \$25.00 + \$3 s/h (\$4 s/h foreign). With the purchase of a license you will receive a license number that will disable the nag ware screen.

In order to purchase a shareware license, fill out a form similar to that shown below, enclose it and a check, PO, or money order, with your name and address, and mail to:

TDWare
37605 160th Place SE
Auburn, WA 98002

Please indicate whether you would like a 3.5" or 5.25" disk.

If you prefer to use a credit card (MC, Visa, Amex, or Discover), you may order from the Public (software) Library by calling 1-800-2424-PsL or 713-524-6394 or by FAX to 1-713-524-6398 or by CIS Email to 71355,470. These numbers are for orders only. To insure that you get the latest version, PsL will notify us the day of your order and we will ship the product directly to you. Any questions about the status of the shipment of the order, refunds, registration options, product details, technical support, volume discounts, dealer pricing, site licenses, etc, must be directed to TDWare, not PsL. You can also mail credit card orders to PsL at P.O.Box 35705, Houston, TX 77235-5705. PsL's item# for FileMan is # 10461.

	Quantity	Price			
FileMan license, and diskette (prepaid)	_____		x	\$25	=

FileMan license, and diskette (Purchase orders)		_____	x	\$35	= _____
Wash. state residents add 8.1% sales tax (8.2% of 25 = \$2.05)				_____	
Shipping and Handling				\$3	
Total				_____	

Diskette format: 5.25" 3.5"

Payment by: Check P.O.

Purchase Order #: _____

Signature: _____

Name: _____

Address: _____

City: _____ State: Zip: _____

Phone #: _____

Comments: _____

Where did you get your copy of FileMan? _____

Mail to:

TDWare
37605 160th Place SE
Auburn, WA 98002, U.S.A.

Phone # (206) 833-7203
(6 PM-9 PM) PST

(Please allow 1 to 2 weeks for delivery)

Displaying Files

To change the type of files displayed, change the display search mask in the edit box at the top. The file specification must include a wild card character (? or *); otherwise the default is used. A new path name can also be included and FileMan will update the directory before displaying the new file list.

Command Line Options

On startup FileMan's display can set by including a command line option as follows:

/m ---start maximized

/i ---start as an icon

/l ---start at position and size when FileMan was last exited

/c ---always start centered (this is also the default)

Use these options to specify the Fileman under Program Manager such as fileman.exe /m

These options will override the Run minimized option under Program Manager.

Copying Files

Copying Files

To copy files:

1. Select the files you want to copy in the source file list box.
2. Press the Copy button.

The highlighted files will be copied to the destination directory. As the files are copied the filenames appear under the source and destination list boxes.

Backing Up Files

Backing Up Files

To backup files:

1. Select the files you want to backup in the source file list box.
2. Press the BkUp button.

The highlighted files will be copied to the destination directory if the source file has the archive attribute set. If the source file is copied, the source file archive attribute is then cleared. Only files that have been altered since the last backup are copied. As the files are copied the filenames appear under the source and destination list boxes.

Moving Files

To move files:

1. Select the files you want to move in the source file list box.
2. Press the Move button.

The highlighted files will be copied to the destination directory and then deleted from the source file list box. As the files are moved the filenames appear under the source and destination list boxes. Files with the read only attribute are not deleted.

Deleting Files

To delete files:

1. Select the files you want to delete in either the source or destination file list box.
2. Press the Del button under the file list box.

The highlighted files will be deleted. You will be asked for confirmation before the file is actually deleted. If you do not want this confirmation, change the default under the Option menu. Files with the Read Only attribute are not deleted.

Renaming Files

To rename a file:

1. Select the file you want to rename in either the source or destination file list box. Only one file should be selected.
2. Press the Ren button.

A dialog box will appear allowing you to type a new name for the file. Files with the Read Only attribute cannot be renamed until the file attribute is changed. By checking the [Duplicate File] box, the file with the new name is created while leaving the existing file with the old name intact. If the [Duplicate File] button is unchecked the existing copy of the file with the old name is renamed with no new copy of the file created.

Changing File Attributes

To change a file attribute:

1. Select the file whose attributes you want to change in either the source or destination file list box. Only one file should be selected.
2. Press the Info button.

A dialog box will appear allowing you to change the attributes of the file. The dialog box also gives the date and time the file was created and the size of the file.

Viewing Files

To view a file make sure the file is the only selected file and press the [View] button. Both ASCII and non-ASCII files can be displayed. However, the non-ASCII files contain only random characters. If the file viewed is larger than about 64K, only the first 64K characters are shown.

Selecting Files

Files are selected by clicking on the file name or moving the highlight using the arrow keys.

Changing a Directory

To change either the source or destination directory, double click on the directory name in the directory list box. Or, use the File Change Directory menu command. This dialog box can also be brought up by double clicking in the area of the main window where the current directories are displayed.

Copying Directories

The [Graft->] button copies all the files of the type displayed in the source directory along with all of the same type of files in any subdirectories of the source directory. These latter files are placed in similarly named subdirectories of the destination directory. If the subdirectory does not exist it is automatically created.

Deleting Directories

To delete a directory:

1. Check to be sure that the directory is empty with no subdirectories or hidden files.
2. Highlight the directory name that you want to delete in the directory list box.
3. The selected directory will be deleted if it is empty.

Creating Subdirectories

To make a new directory, press the appropriate Mkdir button. A dialog box will appear asking you for the new directory name. You do not have to type the entire path.

Printing Subdirectories

Choose the File Print menu command and then which directory you want printed in the dialog box. The current WINDOWS print settings are used. To make a permanent change to your printer settings, use the WINDOWS Control Panel. Only the files displayed in the current directory are printed. To print all the files, change the files displayed using the *.* specification.

Renaming Subdirectories

To rename a directory:

1. Select the directory you want to rename in either the source or destination directory list box.
2. Press the RenD button under the list box.

A dialog box will appear allowing you to type a new name for the directory.

Free Space Available

The [Free] button displays the available space on the drives specified by the source and destination directories.

Launching Applications

To launch an application select the file and press enter or double click. If the file is not a program file, the application and its data files must be defined in the [EXTENSIONS] section of your WIN.INI file. For example, the statement

```
cal=calender.exe ^.cal
```

associates files with the *.cal extension with the WINDOWS Calender program. For MS-DOS applications, the extension should be associated with a *.pif file or the dos application itself, such as

```
bas=qb.pif ^.bas
```

Applications can also be launched by using the File Run menu command, which brings up a dialog box. Type in the name of the path and application to run.

File Search

The Find button invokes a dialog box to allow searching for files. The File Search menu command also invokes the dialog box. The default specification (*.*) will find all files on a selected drive and display the results in the list box. The names of the files matching the search specification will appear after several seconds.

FileMan Configuration

Choose the Option Configuration menu command to bring up a dialog box to allow three default options to be specified. These options are:

Confirm File Delete - If this box is checked, each time a file is deleted, you are asked to confirm that the file is to be deleted. Confirmation will also occur when an existing file is about to be overwritten with a file of the same name during a copy or move operation.

Confirm Directory Delete - If this box is checked, each time a directory is deleted, you are asked to confirm that the directory is to be deleted.

View System/Hidden Files - If this box is checked, files with the hidden or system attribute are included in the file display boxes, in addition to normal and read only files. Note that the system files in your root directory (ibmdos.com and ibmbio.com) should never be deleted.

Size/Date-Sort Descending - If this option is selected, files sorted by size or date will be sorted from the latest or largest to the smallest or earliest.

If you want your choices to remain in effect the next time you start FileMan, choose the [Save] button. If you want to change the option for just the current session of FileMan choose the [Ok] button.

Format Disks

This command requires DOS 3.2 or later. Choose the File Format Disk menu command. A dialog box prompts you to choose which drive to format the drive on. Currently, the following drive types are supported:

- 5.25 inch, 360K, 9 sectors per track, 2 sided, 40 tracks
- 5.25 inch, 1.2M, 15 sectors per track, 2 sided, 80 tracks
- 3.5 inch, 720K, 9 sectors per track, 2 sided, 80 tracks
- 3.5 inch, 1.44M, 18 sectors per track, 2 sided, 80 tracks

A dialog box then appears which allows several options to be set:

Volume Label - 11 alphanumeric characters or less.

High Capacity - This option is used for drives that support more than one disk capacity. This option should be set according to the size of the disk to be formatted. Attempting to format a low density disk to a high capacity will result in a format error.

Make System Disk - Set this option if you want to make a bootable system disk.

If you are using a version of DOS lower than 4.0 you may have problems formatting disks because FileMan cannot determine from which drive your computer was booted. In this case FileMan assumes the boot drive is the same as the drive from which Windows is on. If this is not the case, for example if your computer boots to drive C: and Windows is on drive D:, then you need to add a line to the [TDWareFileMan] section of your FILEMAN.INI file. The line to be added is

```
BootDrive=X
```

where X is the drive number (1=A, 2=B, etc.) that your computer is booted from. This drive is the same drive where the file COMMAND.COM is located. If you are using DOS 4.0 or later or if Windows is on your boot drive, you do NOT have to this line to your FILEMAN.INI file.

If your system files are not named IBMBIO.COM, IBMDOS.COM, and COMMAND.COM, you will not be able to make bootable system diskettes unless you add the following lines to your FILEMAN.INI file:

```
IBMBIO.COM=YOURNAME.EXT  
IBMDOS.COM=YOURNAME.EXT  
COMMAND.COM=YOURNAME.EXT
```

where YOURNAME.EXT is the corresponding filename and extension for your

system files.

Overview

FileMan is a Microsoft WINDOWS (version 3.0) file manager for copying, moving, renaming, and deleting files. In addition, other utilities are provided, including the ability to change file attributes, to rename or delete subdirectories and to perform file searches. FileMan follows the standard conventions for Windows programs. Refer to Chapter 2 of your Microsoft Windows User's Guide for instructions on using menus, selecting files or directories, working with dialog boxes, and using the Windows Help facility.

The main FileMan window consists of a listing of the source files and directories on the left and the destination files/directories on the right. The type of files displayed can be altered by changing the file specification in the edit box at the top. The filename must include a wild card character (* or ?). Otherwise, the default specification of *.* is used.

Moving from one directory to another is accomplished by double clicking on the appropriate directory in the directory list box. Double clicking on a file name will run the file if it is a Windows or MS-DOS application or described in your WIN.INI file under the [Extensions] section. Because the files listbox is a multiple selection type, the file launched is the first highlighted file in the list box. Deselect all the other files first by clicking on the [Clear] button before choosing a file.

Selected files can be copied or moved to the destination directory by pressing the appropriate button. The [Graft->] button copies all the files of the type displayed in the source directory along with all of the same type of files in any subdirectories of the source directory. These latter files are placed in similarly named subdirectories of the destination directory. If the subdirectory does not exist it is automatically created.

Files in either the source or destination directory can be renamed or deleted by pressing either the [Del] or [Ren] button, respectively. The file can be viewed by pressing the [View] button. The view capability is only useful when examining ASCII or standard text files.

New directories can be made and existing directories deleted or renamed using the buttons under the directory list boxes. A directory must be completely empty of files, including any hidden files, before it can be deleted.

Button Commands

- [<]** Sets the source directory to the current destination directory.
- [>]** Sets the destination directory to the current source directory.
- [+]** Swaps destination and source directories.
- [Copy]** Copies selected files from source to destination.
- [Move]** Moves selected files from source to destination and deletes the source files.
- [Graft->]** Copies all files from source to destination along with subdirectories and their files. Only files of the same type as displayed in source file list are copied.
- [Find]** Invokes a dialog box for performing a file search.
- [Long]** Toggles the file display boxes between long and short file listing.
[Short] With a long listing, additional information such as date and size can be displayed.
You can also toggle this option with the right mouse button.
- [All]** Selects all files in either the source or destination list box.
- [Clear]** Unselects the files in the associated list box.
- [Ren]** Invokes a dialog box to rename the first selected file in the associated list box. By checking the [Duplicate File] box the file with the new name is created while leaving the existing file with the old name intact. If the [Duplicate File] button is unchecked the existing copy of the file with the old name is renamed with no new copy of the file created.
- [Del]** Deletes the selected files.
- [Info]** Invokes a dialog box to show more information about the first selected file. This dialog box also allows changing of the file attributes.
- [View]** Displays the contents of the first selected file. The view capability is only useful when examining ASCII or standard text files. For files larger than about 64K, only the first 64K is displayed.
FileMan can also display graphics if you have the appropriate

import filters. See the [Filters](#) section for further details.

- [MkDir]** Invokes a dialog box to make a new subdirectory.
- [Rmdir]** This button will delete the selected subdirectory if contains no files, including no hidden files.
- [RenD]** Invokes a dialog box to rename the selected subdirectory.
- [Free]** Displays available space on the source and destination drives.

Filters

FileMan is capable of using standard Aldus (version 1) graphics import filters to display a graphics file in its native format when the graphics file is selected and the view button is pushed. In order to use an Aldus filter it is necessary to alter your FILEMAN.INI file to inform FileMan of the presence of Aldus import filters on your hard disk.

Use a text editor such as Notepad to edit the FILEMAN.INI file. Under the [Filters] section of the FILEMAN.INI file, add a description of the filter similar to the following,

Your Description=C:\MyPath\wmfimp.flt,EXT

where *Your Description* is a short (< 32 characters) description of the file type, *C:\MyPath\wmfimp.flt* is the full path to the filter which handles the file type and *EXT* is the filename extension that uses the specified filter. Both the equals sign (=) and comma (,) are required.

Currently, TDWare distributes one import filter that allows FileMan to display Windows Metafiles (*.WMF). The filter name for displaying Metafiles is IMP_WMFL.DLL. However, you may have additional filters already available on your hard disk if you have commercial word processing or graphics software. See the manual for further details.