

## Overview of Using Internet Mail

The Internet is a worldwide collection of thousands of interconnected computers. You can use Internet Mail to communicate with anyone on the Internet or any network with [SMTP](#) and [POP3](#) services. With Internet Mail, you can establish a connection to the Internet from your own personal computer, and send and receive mail over the Internet using Windows Messaging.

### Tip

- If you are using Microsoft Windows 95, you can view help for The Microsoft Network by clicking the **The Microsoft Network Help Topics** from the **Help** menu in Windows Messaging.

## Connecting to the Internet Using a Modem

To connect to the Internet using a modem, you'll need [TCP/IP](#) on your computer, Internet Mail, Dial-up Networking (installed during Setup or from the Control Panel), and an Internet service provider that supports [PPP](#), [SMTP](#), and [POP3](#). Internet Mail receives mail from POP3 servers and sends mail using SMTP, so be sure that the Internet provider supplies these services.

Local and regional providers can provide the connection for you, and the phone call charge is usually at local prices. If there aren't any local services, check for providers with direct-dial long distance charges. Check your local listings, trade magazines, or a local computer store for Internet providers.

### Note

- You also have the capability of using [SLIP](#) with Internet Mail.

## Connecting to the Internet Using a Local Area Network (LAN)

To connect to the Internet using a LAN, you'll need [TCP/IP](#) on your computer, Internet Mail, a network adapter (installed during Setup or from the Control Panel), and a server that provides a connection to the Internet and supports TCP/IP, [SMTP](#), and [POP3](#). For more information, see your mail administrator.

## Using Internet Mail

Internet Mail can be added to an existing Windows Messaging profile or can be used in a profile of its own. To create an Internet Mail profile, you specify how your computer is connected to your Windows Messaging mailbox and indicate your preferences for delivering and working with messages. If you want to have more than one type of connection, you need to create a profile for each type.

Your profile indicates how messages are delivered to and from your mailbox. You can update your profile as needed, or when you are working with Internet Mail, you can change the message settings for individual messages.

You can specify several transfer options. These include the type of message format for outbound and inbound messages, the character set (depending on the message format you use), and the method for transferring messages. You can also choose to record session events in a log file.

### Note

For procedures to set up Dial-Up Networking, see [Setting up Dial-Up Networking](#).

## **General Tab**

Specifies how your personal computer is connected to Internet Mail.

## **Personal Information**

Specifies the name that appears in your mail headings and specifies your e-mail address.

### **Full Name**

Type your full name. This name (not your e-mail name) will appear in the mail headings that you send.

### **E-mail Address**

Type the e-mail address of your mailbox. For example: **cherylj@cowboys.com**.

## **Mailbox Information**

Specifies the location of your mailbox. If you do not know any of the following information, see your mail administrator. The Internet service provider or public data network may also provide this information.

### **Internet Mail Server**

Type the name or IP address of the mail server that is running POP3, for example, **Magic.Com** or **11.117.67.58**. If this server is different from the one that runs SMTP, type the POP3 server name here, and then type the SMTP server name in the **Advanced Options** dialog box.

### **Account Name**

Type your POP3 e-mail account name.

### **Password**

Type your POP3 e-mail password. For security, the password is displayed as asterisks (\*) when you type it.

## **Message Format**

Click this option to specify message format and a character set for incoming and outgoing mail.

## **Advanced Options**

Click this option if the POP3 server is different from the SMTP server. Internet Mail needs both of these programs, and they are usually on the same server. To find out if they are on the same server, see your mail administrator or the Internet provider.

## **See Also**

[Message Format](#)

[Advanced Options](#)

### **Message Format Dialog Box**

Specifies a character set and message format for outgoing MIME (Multipurpose Internet Mail Extensions) messages, or for incoming and outgoing UUENCODE messages.

#### **Use MIME When Sending Messages**

Click (check) the **MIME** check box to send messages that support extended 8-bit characters (ISO 8859-1, Swedish, Norwegian, US ASCII) with or without embedded objects or inserted files. The structure of the attachments is maintained if the recipient of the message is also using MIME.

Clear the **MIME** check box to send UUENCODE messages that support extended 8-bit characters (ISO 8859-1, Swedish, Norwegian, US ASCII) with or without attachments.

#### **Character Set**

Click this option to select the outbound character set for MIME, or the incoming and outgoing character set for UUENCODE messages.

#### **Note**

- The Character Set default selection that appears depends on whether you select or clear the **Use MIME When Sending Messages** check box.

#### **See Also**

[MIME Character Set dialog box](#)

[UUENCODE Character Set dialog box](#)

### **MIME Character Set Dialog Box**

Click the character set (ISO 8859-1, Norwegian, Swedish, or US-ASCII) to be used for MIME (Multipurpose Internet Mail Extensions) messages. MIME messages support embedded objects and inserted files. The character set is for outgoing messages only.

#### **Note**

- The Character Set default selection that appears depends on whether you select or clear the **Use MIME When Sending Messages** check box in the **Message Format** dialog box.

### **UUENCODE Character Set Dialog Box**

Click the character set (ISO 8859-1, Norwegian, Swedish, US-ASCII) to be used for UUENCODE messages. The character set is for both incoming and outgoing messages.

#### **Note**

- The Character Set default selection that appears depends on whether you select or clear the **Use MIME When Sending Messages** check box in the **Message Format** dialog box.

**Advanced Options Dialog Box**

Specifies an outbound SMTP host for sending messages if POP3 is on a different server from SMTP.

**Forward All Outbound Mail To The Following Mail Server**

Type an SMTP host name other than the mail server that outbound mail is sent through. This box is used only if the POP3 server is different from the SMTP server. Otherwise, all outbound mail is sent to the POP3 mail server that you set in the **Internet Mail Server** box on the **General** tab. If you're not sure, see your mail administrator or contact your Internet provider.

**See Also**

[General Tab](#)

## Connection Tab

Specifies connection and delivery options.

### Connecting To Internet Mail

Specifies how your computer is connected to the mailbox on the Internet Mail server.

#### Connect Using The Network

Connects your Internet mailbox through a local area network (LAN) connection. If you connect using the network, you can retrieve, compose, and send messages from your mailbox.

#### Connect Using The Modem

Connects your Internet mailbox through Dial-Up Networking by a remote access connection. If you have remote access, you use a modem to connect to your mailbox during remote sessions. To schedule the dial-up connection, clear the **Work Off-line And Use Remote Mail** check box and click **Schedule**.

#### Note

- To use this option, you must have installed Dial-Up Networking during Setup or from the Control Panel. For procedures to set up Dial-Up Networking, see Setting up Dial-Up Networking.

#### Dial Using The Following Connection

If you connect using a modem, type your dial-up connection, or click the arrow to choose from the list.

#### Add Entry

Adds more Dial-Up Networking connections to the list.

#### Edit Entry

Edits existing Dial-up Networking connection properties.

#### Login As

Provides PPP user information.

### Transferring Internet Mail

Specifies how messages are transferred.

#### Work Offline And Use Remote Mail

Click (check) this check box to initially display message headers. You can then scan the headers (using Remote Mail, which is available from the **Tools** menu in Windows Messaging) to mark the messages you want to receive, copy, or delete. While using Remote Mail, you can compose messages and send them to your Outbox at any time, and send and receive messages when you connect to your mailbox.

Clear this check box to deliver all messages from the mail server.

#### Schedule

Click this option to set the time interval for message delivery and, if you connect using a modem, to set a schedule for dial-up connections.

#### Log File

Click this option to create a file that records events during your mail sessions. A log file is useful for troubleshooting when you have problems with Internet Mail.

### See Also

Schedule

Log File

**Login As Dialog Box**

Specifies your name and password for remote PPP connections. If you do not know this information, see your Internet provider or mail administrator.

**User Name**

Type your PPP account name.

**Password**

Type your PPP account password.

**Tip**

- Many applications can use the same remote connection. When you quit Internet Mail, the connection may be kept active for another application.



**Schedule Dialog Box**

Specifies the time interval for checking for new mail. If you selected **Connect Using The Modem on the Connection Tab**, this dialog box also provides a schedule for dial-up connections.

**Check For New Messages Every \_ Minute(s)**

Specifies the length of time the system waits before checking for new mail. If you connect using a modem, the time you specify also determines how often a remote connection is made.

Type the time interval, or click the arrows to select a new value.

### **Log File Dialog Box**

Specifies options for recording events that occur during your mail sessions.

#### **Specify The Level Of Logging You Want**

Select an option from the list.

##### **No Logging**

Keeps no log file.

##### **Basic**

Records logon and logoff times and error messages.

##### **Troubleshooting**

Records complete protocol interactions. This information is useful for troubleshooting. Once you are through troubleshooting, turn off the Troubleshooting log because the file can get very large.

#### **Specify A Location For The Log File**

Saves the log file as a text file with a .log extension (Imlail.log). Click **Browse** to locate an existing log file, or type a name for the log file and the location where you want to store it.

**Internet (Read) Tab**

Displays information about the message you are reading.

**Internet Headers For This Message**

Displays the full incoming Internet Mail headers. For example, some of the headers that can be displayed are Return-Path, Message-ID, Date, To, and From. You can scroll through the list of headers.

## **Internet (Send) Tab**

Specifies character set format and message format.

### **Character Set Selection**

Specifies the character set format in the message.

#### **Use Settings In Profile**

Click this option if you want to use the profile settings.

#### **Override The Profile Setting And Use**

Click this option if you want to override the settings in the profile for this outgoing message. In the **Character Set** box, click the character set to be used for text messages (ISO 8859-1, Norwegian, Swedish, or US-ASCII). Only this message is set to a specific character set format.

### **Message Format Selection**

Specifies the message format.

#### **Use Settings In Profile**

Click this option if you want to use the profile settings.

#### **Override The Profile Setting And Use**

Click this option if you want to override the settings in the profile for this outgoing message. You can override a UUENCODE profile setting by changing this message option to MIME, or you can override a MIME setting by changing this message option to UUENCODE. Only this message is set to a specific format.

### **See Also**

[Message Format Dialog Box](#)

**SMTP - Internet Tab**

Sets up a new SMTP address. Internet mail is transported on the Internet using SMTP. If you do not know this information, see your Internet provider or mail administrator.

**Display Name**

Type the display name. This is the name you want displayed in the From box of your messages.

**E-mail Address**

Type the SMTP e-mail address, for example, **cherylj@cowboys.com**.

**Always Send Messages In Windows Messaging Rich Text Format**

If you are sending messages with rich text format (such as colored text and attachment icons) to a recipient with a MAPI-compatible mail client, click (check) this option to retain the formatting. Windows Messaging is a MAPI-compatible client.

**Remote Access**

The ability to connect to a service provider through a modem. To use Internet Mail with a modem, you must have Dial-Up Networking set up. For information, see the [Setting up Dial-Up Networking](#) topic.

**Remote Session**

The period of time you're connected to your mailbox by means of a modem.

**POP3**

Post Office Protocol (version 3). A protocol, or set of rules, used to download mail to your computer.



**TCP/IP**

Transport Control Protocol/Internet Protocol. A suite of protocols, or set of rules, used by computers to communicate with each other. TCP/IP is the standard protocol used on the Internet.

**SMTP**

Simple Mail Transfer Protocol. A protocol, or set of rules, used to transfer Internet mail.

**SLIP**

Serial Line Internet Protocol. A protocol, or set of rules, that creates a direct connection from your computer to the Internet. Your computer becomes a node on the Internet. SLIP information should be supplied by the Internet service provider or your mail administrator.

**UUENCODE**

A program that converts binary format into text format, which can then be sent over the Internet. Once the text format reaches its destination, UUDECODE converts it back to binary format.

**PPP**

Point-to-Point protocol. A protocol, or set of rules, for connecting computers over a phone line. PPP information should be supplied by the Internet service provider or your mail administrator.

### **To change an Internet profile**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Select a tab to edit your profile:
  - To change your e-mail name, password, and address, and to set advanced options such as message formats and character sets, click the [General](#) tab.
  - To change the way you are connected to your mailbox or to change transfer options, click the [Connection](#) tab.

If you are using Windows 95, you can also use the Internet Setup Wizard to change your profile. To get to the Internet Setup Wizard, click **Start**, point to **Programs**, point to **Accessories**, point to **Internet Tools**, and then click **Internet Setup Wizard**.

#### **Note**

- To add or change a MIME (Multipurpose Internet Mail Extensions) type, click **Options** from the Windows Explorer **View** menu, and then click the **File Types** tab. MIME types let you associate an attachment in a message with an application.

#### **See Also**

[General Tab](#)

[Connection Tab](#)

### **To change your Internet user information**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **General** tab.
- 3 In the **Full Name** box, type the name you want to use for your outgoing mail.
- 4 In the **E-mail Address** box, type the e-mail address of your mailbox.
- 5 In the **Internet Mail Server** box, type the network name or IP address of your mailbox.
- 6 In the **Account Name** box, type the POP3 account name given to you by your Internet provider or mail administrator.
- 7 In the **Password** box, type the POP3 password for your mailbox.

### **See Also**

[General Tab](#)

**To change the outbound mail host**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **General** tab.
- 3 Click **Advanced Options**.
- 4 In the **Forward All Outbound Mail To The Following Mail Server** box, type the name of the SMTP server where you send your outbound messages.

**Note**

- Do this procedure only if POP3 and SMTP are running on two different servers.

**See Also**

[General Tab](#)

[Advanced Options Dialog Box](#)



### **To change transfer options**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **Connection** tab.
- 3 Under **Transferring Internet Mail**, do one of the following:
  - To deliver mail using Remote Mail, click (check) the **Work Offline And Use Remote Mail** check box.
  - To have all messages delivered over the network, clear the **Work Offline And Use Remote Mail** check box.
- 4 If you are not using Remote Mail, click **Schedule** to select a time interval for checking for new messages or to schedule a dial-up connection.

### **See Also**

[Connection Tab](#)

[Schedule Dialog Box](#)

### **To set message format**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **General** tab.
- 3 Click **Message Format**.
- 4 Select one of these options:
  - To send MIME messages, click (check) the **Use MIME When Sending Messages** check box.
  - To send UUENCODE messages, clear the **Use MIME When Sending Messages** check box.
- 5 To specify the character set format for messages, click **Character Set**.

### **See Also**

[General Tab](#)

[Message Format Dialog Box](#)

**To retrieve all messages**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **Connection** tab.
- 3 Under **Transferring Internet Mail**, clear the **Work Offline And Use Remote Mail** check box.

**See Also**

[Connection Tab](#)

**To view message headers before retrieving mail**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **Connection** tab.
- 3 Under **Transferring Internet Mail**, click (check) the **Work Offline And Use Remote Mail** check box.

You can now use the **Remote Mail** command on the **Tools** menu in Windows Messaging to mark messages to move, copy, or delete from the server.

**See Also**

[Connection Tab](#)

### **To record session events in a log file**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **Connection** tab.
- 3 Click **Log File**.
- 4 Under **Specify The Level Of Logging You Want**, do one of the following:
  - To record minimal information (time of logon and logoff and errors), select **Basic**.
  - To record all session events, select **Troubleshooting**.
- 5 To specify a location and a filename for the log file that contains session events, click **Browse**.
- 6 Select a folder where you want to save the log file.
- 7 Type the filename of the log file in the **File Name** box.
- 8 Type or click the file type. This file is usually saved with a .log extension.

#### **Tip**

- To view the session log file, open it in Notepad.

#### **See Also**

[Connection Tab](#)

[Log File Dialog Box](#)

**To view Internet properties of a message**

- 1 Open the message.
- 2 On the **File** menu, click **Properties**.
- 3 Click the **Internet** tab.

**See Also**

[Internet \(Read\) Tab](#)

[Internet \(Send\) Tab](#)

### **To override a setting for a specific message**

- 1 With the message open, click the **File** menu, and then click **Properties**.
- 2 Click the **Internet** tab.
- 3 To select a new character set, click **Override The Profile Setting And Use**, and then select a character set.
- 4 To select a new message format, click **Override The Profile Setting And Use**, and then select a message format.

### **See Also**

[Internet \(Send\) Tab](#)

[Message Format Dialog Box](#)

**To specify when to check for messages**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **Connection** tab.
- 3 Click **Schedule**.
- 4 Type the time interval for checking for new messages, or click the arrows to select a setting.

**Note**

- On the **Connection** tab, the **Work Offline And Use Remote Mail** check box must be clear to use the **Schedule** dialog box.

**See Also**

[Connection Tab](#)

[Schedule Dialog Box](#)



### **To schedule dial-up connections**

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **Connection** tab.
- 3 Under **Connecting To Internet Mail**, click **Connect Using The Modem**.
- 4 Click **Schedule**.
- 5 Type the time interval for checking for new messages, or click the arrows to select a setting.

### **Note**

- On the Connection tab, the **Work Offline And Use Remote Mail** check box must be clear to use the **Schedule** dialog box.

### **See Also**

[Connection Tab](#)

[Schedule Dialog Box](#)

**To view or change file associations for attachments**

- 1 Click **Start**, point to **Programs**, and then click **Windows Explorer**.
- 2 On the **View** menu, click **Options**.
- 3 Click the **File Types** tab.
- 4 To add or edit a file type, click **New Type** or **Edit**.

### **To create an Internet Mail address**

- 1 On the **Tools** menu, click **Address Book**.
- 2 On the **File** menu, click **New Entry**.
- 3 Click **Internet Mail Address**, and then click **OK**.
- 4 Type the display name and e-mail address.
- 5 If this recipient uses Windows Messaging Rich Text Format (the recipient must have a MAPI-compatible mail client), click (check) the **Always Send Messages In Windows Messaging Rich Text Format** check box.

#### **Note**

- You can use one-off addresses to send mail to recipients who aren't in your Address Book, or if you want to bypass the Address Book. One-off addresses are e-mail addresses that list the protocol type and full e-mail address, usually within brackets. An example of an SMTP one-off address is **[SMTP:cherylj@cowboys.com]**.

#### **See Also**

[SMTP - Internet Tab](#)

### **You can't send or receive mail**

If you're unable to send or receive mail, check for the following:

- You have TCP/IP installed on your computer.
- All cables are properly connected to your computer, modem, or LAN.
- Your Internet provider or LAN server supports PPP, SMTP, and POP3.

If you're still unable to send or receive mail after you've checked the items above, record the events of your mail session in a log file, and then check it for errors.

Use this procedure to record the events of your mail session in a log file:

- 1 Open the [Internet Mail](#) dialog box.
- 2 Click the **Connection** tab.
- 3 Click **Log File**.
- 4 Under **Specify The Level Of Logging You Want**, select **Troubleshooting**.
- 5 To specify a location and a filename for the log file that contains session events, click **Browse**.
- 6 Choose a folder where you want to save the log file.
- 7 Type the filename of the log file.
- 8 Type or click the file type. This file is saved as a text file, usually with a .log extension.

To view the session log file, open it in Notepad. Errors are marked in the file by **-err**. If you are unsure of the meaning of the error, see your mail administrator or Internet Provider.

### **See Also**

[Connection Tab](#)

[Log File Dialog Box](#)

### **Messages or attachments are not readable**

If a message or an attachment in a message is unreadable, the message may have been sent with content that Internet Mail could not decode. Check the message headers for the Content Type character set and Content-Transfer-Encoding information. To view the message headers:

- 1 Open the message.
- 2 On the **File** menu, click **Properties**.
- 3 Click the **Internet** tab.

Internet Mail supports these Content Type character sets:

- ISO 8859-1
- Norwegian
- Swedish
- US-ASCII

Internet Mail supports these Content-Transfer-Encoding formats:

- 7-bit
- Quoted-printable
- Base 64

The message or attachment is unreadable if the message header lists either a Content Type character set or a Content-Transfer-Encoding format that is not supported by Internet Mail. Have the message resent in a format supported by Internet Mail, or read the message using a decoder for that type of message format.

### **See Also**

[Internet \(Read\) Tab](#)

[Internet \(Send\) Tab](#)

## **Frequently Asked Questions**

These are frequently asked questions about Internet Mail. Click the question to see the answer.

[1 Why do I have to enter two different passwords?](#)

[2 Why does a service other than Internet Mail deliver my SMTP mail?](#)

[3 What is a one-off address?](#)

[4 What is the default for the Windows Messaging rich text format feature of an Internet Mail address?](#)

[5 If I have multiple services in my profile, how can I ensure that my SMTP mail is being delivered by the Internet Mail service?](#)

[6 What do I need from my Internet provider?](#)

**To open the Internet Mail dialog box from Windows Messaging**

- 1 On the **Tools** menu, click **Services**.
- 2 Click **Internet Mail**, and then click **Properties**.

**Why do I have to enter two different passwords?**

The password you enter on the Internet Mail General tab is a password for the POP3 (Post Office Protocol version 3) server, which is the location of your mailbox. An Internet provider also supplies a PPP (Point to Point protocol) account, which connects your computer to the Internet provider over a phone line. The provider sometimes gives you a password for that account. You enter this password into the **Login As** dialog box.



**Why does a service other than Internet Mail deliver my SMTP mail?**

You may have other services in your profile that are delivering SMTP mail. To ensure that your SMTP mail is delivered by Internet Mail, move Internet Mail to the top of your Delivery List (see question 5). You can also create a separate profile for the Internet Mail information service.

**What is a one-off address?**

A one-off address is an e-mail address that lists the protocol type and full e-mail address, usually within brackets. You can use one-off addresses to send mail to recipients who aren't in your Address Book, or if you want to bypass the Address Book. Examples of SMTP one-off addresses are:

- **[SMTP:cherylj@cowboys.com]**
- **loo@col.edu**

**What is the default for the Windows Messaging rich text format feature of an Internet Mail address?**

The default for the Windows Messaging rich text format feature is off except when sending mail using a one-off SMTP address.

**If I have multiple services in my profile, how can I ensure that my SMTP mail is being delivered by the Internet Mail service?**

When you have multiple services in your profile and want to ensure that Microsoft Internet Mail is the service that is delivering your SMTP mail, go to the Windows Messaging **Tools** menu, click **Options**, and then click **Delivery**. Internet Mail should be the service at the top of the box titled **Recipient Addresses Are Processed By These Information Services In The Following Order**. If it isn't, select Internet Mail and click the up arrow button to move it to the top.

You can also create a separate profile for the Internet Mail information service.

**What do I need from my Internet provider?**

Your Internet provider must support PPP, SMTP, and POP3. In addition, ask your Internet provider for this information:

- Modem communication parameters
- Baud rate
- Type of protocol

## Setting up Dial-Up Networking

### If you are using Windows NT Workstation:

1. From the Control Panel, double-click **Network**.
2. Click the **Services** tab, click **Add**, and then click **Remote Access Service**.
3. Do one of the following:
  - If you are installing from a disk, click **Have Disk**, insert the disk, and then click **OK**.
  - If you are installing from the network, click **OK**.

### Note

- You can also set up Dial-Up Networking during Windows NT Workstation installation.

### If you are using Windows 95:

1. From the Control Panel, double-click **Add/Remove Programs**.
2. Click the **Windows Setup** tab.
3. Click **Communications**, and then click **Details**.
4. In the **Communications** dialog box, click **Dial-Up Networking**, and then click **OK**.
5. Do one of the following:
  - If you are installing from a disk, click **Have Disk**, insert the disk, and then click **OK**.
  - If you are installing from the network, click **OK**.

### Note

- You can also set up Dial-Up Networking during Windows 95 installation.

