

**OctaMED**

**COLLABORATORS**

	<i>TITLE :</i> OctaMED		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 1, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>OctaMED</b>	<b>1</b>
1.1	OctaMED ReadMe	1
1.2	rm_demo	2
1.3	Info on this special intermediate Aura support version	2
1.4	Compatibility	4
1.5	Using The Locale Feature of OctaMED	4
1.6	MED USERS GROUP	5
1.7	Backup	5
1.8	Hard Disk Installation	5
1.9	Copyright	5
1.10	About OctaMED & Thanks	6
1.11	Suppliers Licenced by RBF Software	7
1.12	Contact Addresses	8
1.13	Teijo's thoughts about future development	9

# Chapter 1

## OctaMED

### 1.1 OctaMED ReadMe

```
*****
**      OctaMED Professional, Version 5.04 by Teijo Kinnunen  1991-1994      **
**                               © Teijo Kinnunen & Ray Burt-Frost ©          **
**                               Completion Date November 1994              **
**                               World Distribution Copyright By RBF Software.  **
*****
Thank you for buying OctaMED! This file contains important information, so
please read all topics carefully before doing anything else.
```

Demo Contents

This Special Aura Version

Obtaining Full Versions

Compatibility

The OctaMED Club

Should I make a backup?

Hard Disk Installation

Copyright

About OctaMED & Thanks

Using the Locale Feature

Contact Addresses

The Future (16/32 Bit?)

## 1.2 rm\_demo

Note that as it is illegal for us to include the Cbm Workbench files on this disk when sent by electronic means, ( we are licenced but only allowed to include the WB files on a diskette and not included in electronically transmitted demo versions ), if you have obtained this demo via a BBS etc, you will need to copy certain files across from your workbench disk to make this demo function correctly.  
Files from the C - Libs etc, such as the amigaguide for instance.

## 1.3 Info on this special intermediate Aura support version

This info is within the on-line "help", but for those that are using the NON-Save Demo version the on-line help is not available so here is some important 16-Bit information.

MD16            This is a special sample type for the Aura sampler.

It is aimed primarily for use of those A1200, or those with the earlier A600.

However, ( there's hope in them thar hills ), for owners of the A2000 - A3000 - A4000 series.  
When V6 is released in February 1995 it will not only contain full 16bit CD quality sampling via the Toccata card but will also have so many new implementations that you just will not believe your eyes and ears!!

We have even added the ability to save out in MIDI format!

It has full Arrex compatability plus hundreds of other new features.

Oh, and as a service to all those complaints from authors:  
"My text file allways go missing when I send out one of my modules to the net or pd suppliers"

V6 will allow you to add a text file, describing your work, and it will be encoded \*with\* your module which can be read whilst the module is actually being played!!

Anyhow, with regards to this special intermediate release that supports the 12bit Aura card...  
For those who don't own that device, the MD16 sample type is useless. ;-)

"The HiSoft/Microdeal Sampler Options Window   \*NEW\*

This window first appeared here in OctaMED V5.04

( but wait till you see V6 !! - out in Jan/FEB 95 )

---

It provides controls for the HiSoft/Microdeal 16-bit,  
( strike that, it is now only 12bit ),  
sampling/playback PCMCIA card called Aura.  
If you don't have this card, this window is pretty useless, so \*BUY ONE\*

Take the mouse to the "settings" menu option, ( top right ) and then  
open the Aura window.  
The Active check box is the master switch for the sampler. It must be  
activated for the sampler output to work.  
If it can't be activated (i.e. the check mark immediately disappears),  
some other program is using the CIAB timers and to get round this ONLY  
boot from the OctaMED disk itself and not via your hard drive.

Select sample type = MD16.

Note that you MUST allready have a sample in memory to activate  
this button. ( an 8 bit will do )

The Sampler ( DIGITIZER ) is ready to sample via the 16-Bit SoundCard.  
(12-bit)

Minimum Period sets the minimum period limit. The smaller the period, the  
more CPU-stressing it is. The period is inversely proportional to pitch.  
This value depends on the speed of the computer, so you will have to adjust  
it by hand to reach the highest possible pitch that can be obtained on your  
Amiga, if you set it too high then it is likely to cause a crash.  
( higher speed = better results with 16-bit )

To set the minimum period, load an eight-bit sample, then open the  
Instrument Type Window. Set the type to MD16. Now you have a 16-bit sample  
for testing. Play it at high pitch (e.g. A#3), decrease the minimum period,  
play it again, and so on. You will find that your Amiga will freeze if the  
minimum period is too low. Set it to such value that no freezing occurs.  
You can use Save Settings to save this parameter.

Only right channel can be used if you don't need to get sound on both  
sampler outputs. The advantage is that the output takes slightly less  
CPU time.

Any sound intended to be played through the Microdeal card must be of  
type MD16. You can easily convert an 8-bit sample to 16 bits by simply  
changing its type to MD16.

MD16 samples can be placed on any track, so you can use full four tracks  
for standard Amiga samples.  
Only one MD16 sample can be played at a time, though.

details taken from the on-line help.

press "help key" whilst using the program

( applies to full save version, not the Demo )

details taken from the on-line help.

---

## 1.4 Compatibility

From now on, OctaMED requires operating system 2.04 or later, but OctaMEDPlayer, although upgraded, still only requires Kickstart/WB 1.2 or higher to run, thus allowing you to pass on your PD music (along with the OctaMEDPlayer itself) to others that may still be using an older Amiga®. (Note that the OctaMEDPlayer is the ONLY part of this disk that is PD). Even today, OctaMED differs from most other programs of this type by multitasking correctly and being totally system-friendly.

OctaMED and OctaMEDPlayer now support the AmigaGuide® system to provide on-line help, allowing you to press HELP at any time to get a complete manual in hypertext format. Use the guide via OctaMED, by pressing the HELP key whilst the prog is running.

No commercial printing of the docs is allowed by law, they may be printed out for the purchasers personal use only, they may not be passed on. Printing any portion of the on disk help or "OctaMED Companion" IS illegal and any Company wishing to do so must first apply for a licence.

OctaMED uses the following disk-based operating system libraries:

```
asl.library           (obligatory, available on this disk)
iffparse.library     (obligatory, available on this disk)
amigaguide.library@ (optional), but required to use the on-line help.
                    Available on WB 3.0 or later, but for WB 2 users an
                    older version is provided in the LIBS directory.
```

(Amigaguide® and wb 2.1 files are used under licence with Commodore)

```
Hyper@               .guide reader, reads PowerPacked .guide files.
```

Hyper, from version 1.19b is copyright RBF Software and may not be used within commercial/sharware/licenceware, without obtaining a licence. ( hyper not available in this soundcard version, it will be on V6 )

```
powerpacker.library (optional), needed for crunching etc, it is available
                    on this disk. Licenced with author.
```

```
lh.library           (optional), great compression, licenced with author.
```

Also used on this disk is PPMore which is used by previous arrangement with it's author Nico François.....Thanks Nico!

Please note that the new wb2.1 file requester now asks for "VOLUME" instead of "DISKS". Please remember this when loading files via this new version.

One final thing..., we have found that depending on where your 1200 was assembled, ( don't ask us why! ), the chord function does not work on that particular A1200 keyboard, ( works fine all the others, including the 4000's! ), so if you are using an A1200 and this function fails to work, then you will have to insert your chords manually, don't blame us!!

## 1.5 Using The Locale Feature of OctaMED







and subsequently taking care of the world distribution of OctaMED!

## 1.11 Suppliers Licenced by RBF Software

Note that DevWare are no longer licenced to act as our N.American distributors as after having sold thousands of Dollars worth of our program in America, instead of sending us the agreed payments, they chose to divert the last 6 Months Royalties and plough it back into the company to keep themselves bouyant!!

They are forever promising to pay us, but lets face it, they had the money, but chose to spend it rather than be honest and abide by the sales contracts!!

( if thats not tantamount to theft, don't know what is ).

Therefore the English language version 5.04 will only be available directly from RBF Software here in the UK.

Price details:

If ordering from within the UK: £29.99 (including post )

If ordering from within the EC: £31.00 (including post )

If ordering from outside the EC: £35.00 (including post )

All UK payments must be made by cheque or postal order ONLY.

All EC and worldwide orders by Eurocheque, Giro or bank draught ONLY.

Payment made out to: RBF Software

and send order to: 169, Dale Valley Road, Southampton. S016 6QX England

A full French language version is available from:

France-Festival-Distribution

3, Rue Anatole France, Fr 13220 Chateaneuf-Les-Martigues. (33) 42761870

A full German language version is available from:

ABF Computer Gbr

Postfach 40 01 43 70401 Stuttgart. 07152/937904

So if you live in one of these countries, or would prefer a version in one of these languages, please contact them.

Note that we, ( RBF Software ), will NOT accept orders from Germany or France, you MUST contact one of the above distributors.

---

### Distribution of V6

At time of writting, we are discussing just how the fantastic new V6 is going to be distributed when released in Jan/Feb 1995.

It may still be available only from selected distributors, but this is highly likely to change after the way DevWare has behaved.

---

( note that this does not affect the French and German distributors )

The English language version 6 may be available from any supplier that wishes to stock it on their customers behalf.

( excluding France and Germany )

When you read about the release of V6 in the inevitable magazine reviews, the best advice we can give is to phone your usual supplier first. Keep your eyes on the Fred Fish releases as well, the V6 Demo and will be released through his excellent distribution network and it will give price details along with how to obtain the full English version.

The Copyrighted programmers player routine source is also now available on disk from a small selected amount of suppliers including a Fred Fish disk, or you can download it directly from the OctaMED User Support Group BBS by phoning +44 (0)1703 703446 and entering the utilities area.

or:

The TrinityBBS in the USA on 513 8906992

## 1.12 Contact Addresses

For any matters concerning distribution, sales, copyright, licencing, or such, you should contact the world copyright owners RBF Software:

RBF Software  
169, Dale Valley Road  
Hollybrook  
Southampton  
SO1 6QX  
ENGLAND

(01703) 785680 This is an Answerphone/Fax service line only.

Copyright ©1991-1994 Teijo Kinnunen & Ray Burt-Frost (RBF Software).

We can also be reached on the net by e-mail:

rbfsoft@cix.compulink.co.uk

OR,

via the OctaMED User Support BBS on +44 (0)1703 703446

( this is the home of the OctaMED.User/MUG Group )

=====

For matters concerning the program itself, e.g. suggestions, ideas and bug reports, you can write to the author:

Teijo Kinnunen  
Oksantie 19

---

FIN-86300 OULAINEN  
FINLAND

kinnunen@stekt07.oulu.fi

Due to the amount of received mail and limited spare time, the author will probably not be able to reply (unless it's really important). I'm sorry about this.. I can't afford to hire a secretary.. ;-)

E-Mail messages will probably be answered, though, as it's much quicker and easier and if you leave me mail on our OctaMED User Support BBS then I will certainly try and give you an answer as quickly as possible. ( probably quicker ), +44 (0)1703 703446 ( my handle is TEIJOK ).

Anyway, you are very welcome to write and share your ideas and feelings. Even if I cannot answer personally, all suggestions/ideas will be considered.

Please remember to indicate the version number of OctaMED you are using. This is important if you are reporting bugs, the version number and its compilation date are displayed in the OctaMED "About" screen (select About from the Project menu).

=====

If you find any mistakes in or have any suggestions concerning the on-line help file, ( not in this demo ), Ed, the main author, would love to hear from you!

Please write to:

Ed Wiles, 9 Kirkland Wynd, Lochvale, Dumfries, DG1 4ES, SCOTLAND.

NOTE TO BRITISH USERS: You may notice the odd American spelling in the help file. This is intended as an aid users living in countries where English isn't the first language (there's quite a few, you know ;'), since it's likely that American rather than English spellings will be familiar. (Anyway, who ever thought of putting a "u" in "color" ??-) The original Latin word didn't have a "u" in it, so ... ???!?!? :-D )

NOTE TO AMERICAN USERS: I've included as many American spellings as I know, but if I've got (sorry, gotten :) anything wrong, please tell me! ( remember that the manual does not cover this new soundcard addition )

## 1.13 Teijo's thoughts about future development

The development of Version 6 is well on it's way to completion. We have added a LOT of smaller but very useful features which users have requested and you should like.

Some of the MAJOR plans we have, include:

- \* Full CD quality 16 bit sampling via the internal Toccata card ( completed - and it sounds lovely )

- 
- \* ARexx support ( now ready and included in V6 )
  - \* Save composers ascii text file with mod. ( completed and in V6)
  - \* Display composers text file while playing ( completed and in V6
  - \* Further MIDI enhancement ( save as MIDI completed and in V6)
  - \* Full seperate screen Stave/Editing ( see below )
  - \* DSP sound chip support? ( IF the new owners ever do it ) ;(
  - \* Full MIDI file support, load etc., ( In the SoundStudio version )
  - \* Full Sonix® type notation editor ( In SoundStudio version, late 95 )
-